



## KIPAWA – LAC SAIRS PROPERTY

### 2010 Drilling results

HOLE NO	FROM (M)	TO (M)	WIDTH (M)	ZRO2 (%)	TREO (%)	HREO+Y2O3/TREO (%)
LS-10-19	9.00	70.74	61.74	1.51	0.08	62.30
	183.15	184.57	1.42	2.23	0.92	20.10
LS-10-20	42.43	48.75	6.45	0.23	0.23	30.30
	110.15	120.60	10.45	0.15	0.37	28.90
LS-10-24	38.35	39.28	0.93	0.19	1.10	7.10
	49.82	54.58	4.76	0.42	0.29	35.30
	61.66	73.56	11.90	0.23	0.05	38.60
LS-10-25	18.00	34.50	16.50	0.62	0.10	47.10
	40.50	46.12	5.62	0.37	0.29	42.50
	48.60	83.55	34.95	0.18	0.13	46.00
	93.00	117.00	24.00	0.22	0.05	40.60
	124.45	163.50	39.05	0.16	0.05	38.80
LS-10-26	81.17	83.45	2.28	1.04	0.24	30.40
	88.66	141.00	52.34	0.19	0.11	35.70
	145.50	195.00	49.50	0.15	0.07	33.90
	204.00	216.00	12.00	0.13	0.07	36.50
LS-10-27	53.71	198.00	144.29	0.17	0.05	40.60
LS-10-2	70.33	117.00	46.67	0.63	0.04	51.00
LS-10-29	115.09	148.50	33.41	0.59	0.04	47.30